

Work Order ID 51663

August 27, 2009 8:40:35 AM



Page 1

Item ID: D3535-25

GY

Accept



Setup Start



Revision ID: B

Item Name: Wearshoe

Stop



Start Date: 8/27/09

Start Qty: 12.00



Cust Item ID:

Required Date: 9/11/09

Req'd Qty: 12.00



Customer:

Reference:

Approvals:

Process Plan:

PL MK

Date:

09-8-27

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Draw
Number

Draw
Rev.

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D3535

Rev B

100

0.00



FLOW WATER JET

Waterjet

Memo

0.00

FLOW CNC Waterjet

1-Cut as per Dwg D3535
Deburr if necessary

11Dwg Rev:

B

11Prog Rev:

B

2-

MAT NOT PULLED

HB 9-9-24

(13)

110

QC2- Inspect parts off machine FAI/FAIB

0.00



QC

Memo

0.00

Quality Control

HB 9-9-24

120

QC8- Inspect parts - second check

0.00



QC

Memo

0.00

Quality Control

⇒ 8/21/09/24

(13)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 51663

August 27, 2009 8:40:35 AM

Page 2

Item ID: D3535-25

Accept

Revision ID: B

Item Name: Wearshoe

Setup Start

Stop

Start Date: 8/27/09 Start Qty: 12.00

Required Date: 9/11/09 Req'd Qty: 12.00

Cust Item ID:

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

Stop

QC:

Date:

SPC (Y/N):

Date:

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Draw
Number

Draw
Rev.

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

130



Brake NC

Brake NC

NC BRAKE

Memo

1-Form on CNC Brake as per Dwg D3535 using Jigs DT8261 and DT83261 12-
Form joggle on Punch as per Dwg D3535 using Jig DT8158 Identify as D3535-25

0.00

0.00

13

2

140



QC

Quality Control

QC5- Inspect part completeness to step on W/O

Memo

0.00

0.00

2) S 09/09/25

13

1

150



Powdercoat

Powder Coating

Grey Sandtex(Ref:4.3.5.6) per QSI005 4.3

Memo

START TIME:

2:00

FINISH TIME:

320

0.00

0.00

OVEN TEMPERATURE:

2:30

M 109 091

M. Loulouas

13X

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 51663

August 27, 2009 8:40:35 AM



Page 3

Item ID: D3535-25

Accept



Setup Start



Revision ID: B

Stop



Item Name: Wearshoe

Start Date: 8/27/09 Start Qty: 12.00



Cust Item ID:

Required Date: 9/11/09 Req'd Qty: 12.00



Customer:

Reference:

Run Start



Approvals: Process Plan:

Date:

Tooling:

Date:

Stop



QC:

Date:

SPC (Y/N):

Date:

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Draw
Number

Draw
Rev.

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

160

QC3- Inspect Part Finish

0.00

09-09-28

13

QC

Memo

0.00

Quality Control

170

Identify as per dwg & Stock Location: 1-12-18

0.00

09/09/28

13

Packaging

Memo

0.00

Packaging

180

QC21- Final Inspection - Work Order Release

0.00

09/09/28

QC

Memo

0.00

Quality Control

09-09-28

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

August 27, 2009 8:40:34 AM

Page 1

Work Order ID: 51663

Parent Item: D3535-25RevB

Parent Item Name: Wearshoe

Comments:

Start Date: 8/27/09

Required Date: 9/11/09

Start Qty: 12.00

Required Qty: 12.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Remaining Qty To Pick	Qty Issued	Date Issued	Status
M304S20GA		Purchased	No			100	sf	63.3940	6.4421	7.000		



304/316 .040 Sheet



189-9-24

<u>Warehouse</u> <u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>
-------------------------------------	----------------	-----------------

Main Warehouse

MAT

63.39404737

110076

31.73

111571

31.6640474

112567

112567

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries


DART

RELEASED


07.04.24

51663


DESIGN	DRAWN BY	DART AEROSPACE USA, INC.	
CB	PH	PORT HADLOCK, WA	
CHECKED	APPROVED	DRAWING NO.	REV. B
<i>[Signature]</i>	<i>[Signature]</i>	D3535	SHEET 1 OF 7
DATE	TITLE	SCALE	
07.04.17	WEARSHOE	1:10	
A	06.10.25	NEW ISSUE	
B	07.04.17	MOVE TAB OUTBOARD, ADD AMS SPEC	




D3535-11F FLAT PATTERN



D3535-11 BEND DETAIL



D3535-13F FLAT PATTERN



D3535-13 BEND DETAIL

NOTES

- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION


DART

RELEASED


07.04.17

51663


DESIGN	DRAWN BY	DART AEROSPACE USA, INC.	
CB	PH	PORT HADLOCK, WA	
CHECKED	APPROVED	DRAWING NO.	REV. B
		D3535	SHEET 2 OF 7
DATE	TITLE	SCALE	
07.04.17	WEARSHOE	1:10	




D3535-15F FLAT PATTERN



D3535-15 BEND DETAIL



D3535-21F FLAT PATTERN



D3535-21 BEND DETAIL


NOTES

- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT CL
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION

DART


RELEASED

07.04.24



D3535-23F FLAT PATTERN

D3535-23 BEND DETAIL



D3535-25F FLAT PATTERN

D3535-25 BEND DETAIL

NOTES

- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION

DESIGN	DRAWN BY	DART AEROSPACE USA, INC.
CB	PH	PORT HADLOCK, WA
CHECKED	APPROVED	DRAWING NO.
#	#	D3535
DATE	TITLE	SCALE
07.04.17	WEARSHOE	1:10
		SHEET 3 OF 7
		REV. B

#51663




DART

DESIGN CB	DRAWN BY PH	DART AEROSPACE USA, INC. PORT HADLOCK, WA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3535	REV. B
DATE 07.04.17	TITLE WEARSHOE	SHEET 4 OF 7	SCALE 1:10

RELEASED

07.04.24

51663



NOTES


- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION

DART

RELEASED

07.04.17


DESIGN	CB	DRAWN BY	PH	DART AEROSPACE USA, INC.
CHECKED		APPROVED		PORT HADLOCK, WA
DATE	07.04.17	DRAWING NO.	D3535	REV. B
		TITLE	WEARSHOE	SHEET 5 OF 7
		SCALE	1:10	



D3535-35F FLAT PATTERN



D3535-35 BEND DETAIL



D3535-37F FLAT PATTERN



D3535-37 BEND DETAIL

NOTES


- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION

DART


RELEASED

07.04.17


DESIGN	DRAWN BY	DART AEROSPACE USA, INC.	
CB	PH	PORT HADLOCK, WA	
CHECKED	APPROVED	DRAWING NO.	REV. B
<i>[Signature]</i>	<i>[Signature]</i>	D3535	SHEET 6 OF 7
DATE	TITLE	WEARSHOE	SCALE
07.04.17			1:10




D3535-39F FLAT PATTERN



D3535-39 BEND DETAIL



D3535-41F FLAT PATTERN



D3535-41 BEND DETAIL

NOTES


- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION




DESIGN CB	DRAWN BY PH	DART AEROSPACE USA, INC. PORT HADLOCK, WA	
CHECKED 	APPROVED 	DRAWING NO. D3535	REV. B SHEET 7 OF 7
DATE 07.04.17		TITLE WEARSHOE	SCALE 1:1

RELEASED


07.04.24



DETAIL B



DETAIL A



SECTION C-C

Copyright © 2006 by DART AEROSPACE USA, INC.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.